

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ICON 2.5 EW

Design code : A13117E

Manufacturer or supplier's details

Company : Syngenta Crop Protection AG

Address : Rosentalstrasse 67, Postfach
CH-4002 Basel
Switzerland

Telephone : +41 61 323 11 11

Emergency telephone number : +44 1484 538444

Telefax : +41 61 323 12 12

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.
H302 + H332 Harmful if swallowed or if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Precautionary statements : **Prevention:**
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
 P242 Use non-sparking tools.
 P243 Take action to prevent static discharges.
 P261 Avoid breathing mist or vapours.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
 P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water.
 P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
 P391 Collect spillage.

Storage:
 P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
lambda-cyhalothrin (ISO)	91465-08-6	>= 1 - < 2,5
Hydrocarbons, C9, Aromatics	128601-23-0	>= 1 - < 2,5

4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary oedema and pneumonitis.
Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.
- Notes to physician : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Remove all sources of ignition.

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from combustible material.
Keep in an area equipped with sprinklers.
Keep away from food, drink and animal feedingstuffs.
No smoking.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lambda-cyhalothrin (ISO)	91465-08-6	TWA	0,04 mg/m ³ (Skin)	Syngenta
Hydrocarbons, C9, Aromatics	128601-23-0	TWA	19 ppm 100 mg/m ³	Supplier

Engineering measures : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
 Suitable respiratory equipment:
 Respirator with a half face mask
 The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
- Hand protection
- Material : Nitrile rubber
 Break through time : > 480 min
 Glove thickness : 0,5 mm
- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : No special protective equipment required.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
 Remove and wash contaminated clothing before re-use.
 Wear as appropriate:
 Impervious clothing
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
 When selecting personal protective equipment, seek appropriate professional advice.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : white to beige
- Odour : aromatic
- Odour Threshold : No data available
- pH : 4 - 8
 Concentration: 1 %w/v

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	52 °C
		Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1,01 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	445 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	No dangerous reaction known under conditions of normal use.

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

tions
 Conditions to avoid : No decomposition if used as directed.
 Incompatible materials : None known.
 Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Ingestion
 Inhalation
 Skin contact
 Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50(Rat, female): 550 mg/kg
 Acute inhalation toxicity : Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
 Acute dermal toxicity : LD50(Rat, male and female): > 2.000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

Components:

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg
 Acute inhalation toxicity : LC50 (Rat, male and female): 0,06 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Acute dermal toxicity : LD50 (Rat, male): 632 mg/kg

Hydrocarbons, C9, Aromatics:

Acute oral toxicity : LD50 (Rat, female): 3.492 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
 Result : No skin irritation

Components:

lambda-cyhalothrin (ISO):

Species : Rabbit
 Result : No skin irritation
 Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Hydrocarbons, C9, Aromatics:

Result : Repeated exposure may cause skin dryness or cracking.
Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**lambda-cyhalothrin (ISO):**

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Product:**

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

Components:**lambda-cyhalothrin (ISO):**

Test Type : Maximisation Test
Species : Guinea pig
Result : Does not cause skin sensitisation.

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Does not cause skin sensitisation.

Germ cell mutagenicity**Components:****lambda-cyhalothrin (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****lambda-cyhalothrin (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

ICON 2.5 EWVersion
1.0Revision Date:
25.04.2023SDS Number:
S1360047038

This version replaces all previous versions.

Reproductive toxicity**Components:****lambda-cyhalothrin (ISO):**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure**Components:****lambda-cyhalothrin (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Hydrocarbons, C9, Aromatics:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure**Components:****lambda-cyhalothrin (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity**Components:****Hydrocarbons, C9, Aromatics:**

May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 0,012 mg/l
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,26 mg/l
Exposure time: 48 h

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Toxicity to algae/aquatic plants : EC50 (green algae): 823 mg/l
Exposure time: 72 h

Components:

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0,000078 mg/l
Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 0,00016 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,00036 mg/l
Exposure time: 48 h

LC50 (Americamysis): 0,000007 mg/l
Exposure time: 48 h

EC50 (Hyalella azteca (Amphipod)): 0,000002 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green algae)): > 0,31 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 100.000

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,000031 mg/l
Exposure time: 300 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,000002 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,00022 µg/l
Exposure time: 28 d
Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 100.000

Hydrocarbons, C9, Aromatics:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 9,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3,2 mg/l
Exposure time: 48 h

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2,9 mg/l
Exposure time: 72 h

NOELR (Raphidocelis subcapitata (freshwater green alga)): 1,0 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOELR: 1,228 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 2,144 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

lambda-cyhalothrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 7 d
Remarks: Product is not persistent.

Hydrocarbons, C9, Aromatics:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

lambda-cyhalothrin (ISO):

Bioaccumulation : Remarks: Bioaccumulates

Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 56 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Other adverse effects**Components:****lambda-cyhalothrin (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(SOLVENT NAPHTHA)
Class : 3
Packing group : III
Labels : 3

IATA-DGR

UN/ID No. : UN 1993
Proper shipping name : Flammable liquid, n.o.s.
(SOLVENT NAPHTHA)
Class : 3
Packing group : III
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1993

ICON 2.5 EW

Version 1.0 Revision Date: 25.04.2023 SDS Number: S1360047038 This version replaces all previous versions.

Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(SOLVENT NAPHTHA)
Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

This Safety Data Sheet contains no country specific regulatory information. It may not meet the regulatory requirements of a specific country.

16. OTHER INFORMATION

Revision Date : 25.04.2023

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limit

Syngenta / TWA : Time weighted average

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

ICON 2.5 EW

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	25.04.2023	S1360047038	

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZG / EN